




Stainless Steel Rotoplat

SEMI-AUTOMATIC STRETCH WRAPPER

Ideal for processing, wet or cold operations the Stainless Steel Rotoplat 708 stretch wrapper is a fully stainless machine. Imitators use a stainless coating. Why is this important? Because water builds up at the base and will corrode anything ferrous.





Performance features:



STAINLESS STEEL FILM CARRIAGE

Features an S Winding Pattern Roll Carriage for easy loading that provides 40% more film contact than the W Winding pattern (commonly used by competitors) to provide better control of film through the roll carriage and fewer film breaks.

STAINLESS STEEL CONTROL PANEL

The high performance 7-inch color touch screen with icons specifically designed and created by Robopac has led to the implementation of the MULTILEVEL CONTROL function.



STAINLESS STEEL HD TURNTABLE

Supported by 28 heavy duty casters and can handle loads up to 4,400 lbs. Weight capacity increases to 5,500 lbs by simply adding 16 casters. This can be done at order entry or added later in the field.



Rotoplat 708 Specifications

Performance Criteria

Production Speed:

Up to 40 LPH

Turntable Speed:

5 – 12 RPM

Turntable Drive:

1 HP VAC

Load Handling System

Turntable Size:

65" Diameter

Maximum Load Height:

110"

Maximum Load Weight:

4400 lbs.

Film Delivery System

- Containment Force: Multi-Level Variable
- Film Carriage Motor: ½ HP VAC
- Height Sensing: Automatic via photocell
- Film Threading: Patented S-Pattern
- Corner Compensation: Load Cell

Safety Features

- Anti-fall device on carriage
- Pressure activated safety stop on carriage
- CE Compliant, UL, CUL

Utilities

Voltage:

115V, 20 amps, 60 Hz, 1 PH

Warranty:

3 Years